
# April 2022 Climate Summary for West Central and Southwest Florida

Temperatures averaged near to a few degrees above normal for this month with a few sites ending up in the Top Ten Warmest for April.

## APRIL TEMPERATURE RANKINGS (°F):

	April 2022		Normal	Dep fm	Records
Location	Rank Avg	Temp	Apr Temp	Normal	Began
Fort Myers Area	6th Warmest	77.5°	74.8°	+2.7°	Jan 1902
Tampa Area	3rd Warmest	76.9°	73.9°	+3.0°	Apr 1890
Winter Haven Area	13th Warmest(tie)	74.8°	73.8°	+1.0°	Mar 1941
Plant City	12th Warmest(tie)	74.7°	73.5°	+1.2°	Sep 1892
St Petersburg Area	29th Warmest(tie)	74.7°	74.1°	+0.6°	Aug 1914
Sarasota-Bradenton Area	8th Warmest(tie)	74.5°	72.6°	+1.9°	Jan 1911
Punta Gorda Area	23rd Warmest	74.4°	73.1°	+1.3°	May 1914
Venice	12th Warmest(tie)	73.7°	72.5°	+1.2°	May 1955
Bartow	37th Warmest(tie)	73.4°	72.5°	+0.9°	Jun 1892
Tarpon Springs	25th Warmest(tie)	73.2°	72.2°	+1.0°	Jan 1892
Wauchula 2 N	28th Warmest(tie)	72.6°	71.0°	+1.6°	Jan 1933
Brooksville Area	25th Warmest(tie)	72.4°	69.2°	+3.2°	Jan 1892




Graphics Source: NOAA Regional Climate Centers


Contact: Paul Close, Paul.Close@noaa.gov Date: 05/02/2022

As far as rainfall, April is usually one of the drier months of the year, and in some parts of the area this was true. However, we did see a couple of cold fronts early in the month that brought widespread showers and thunderstorms to areas from around Interstate 4 northward. Then during the last few days of April, a more summer-like pattern setup with afternoon and evening sea breeze thunderstorms pushing some locations well above normal for the month.

#### APRIL RAINFALL (inches):

	April 202	2	Normal	Dep fm	Records
Location	Rank Rain	Total	Apr Rain	Normal	Began
Tampa Area	4th Wettest	6.76	2.55	+4.21	Apr 1890
Fort Myers Area	5th Wettest	5.83	2.44	+3.39	Jan 1902
St. Leo	15th Wettest	5.35	3.06	+2.29	Apr 1895
Tarpon Springs	17th Wettest(tie)	4.80	2.69	+2.11	Jan 1892
Winter Haven Area	11th Wettest	4.37	2.50	+1.87	Mar 1941
St. Petersburg Area	20th Wettest	4.15	1.93	+2.22	Aug 1914
Plant City	30th Wettest	3.98	2.88	+1.10	Jan 1893
Lakeland Area	26th Wettest	3.65	2.82	+0.83	Jan 1915
Wauchula 2 N	51st Driest	2.75	2.92	-0.17	Jan 1933
Bartow	73rd Driest	2.47	2.72	-0.25	Jun 1892
Sarasota-Bradenton Area	58th Driest	1.97	2.46	-0.49	Jan 1911
Venice	26th Driest	1.27	2.47	-1.20	May 1955
Punta Gorda Area	41st Driest	1.19	2.23	-1.04	May 1914





April 2022 Rainfall Percent of Normal Rain

Contact: Paul Close, Paul.Close@noaa.gov

On the following pages are tables of the top ten warmest, coolest, wettest, and driest Aprils at some official NWS locations, which includes the average/total for this April where available, and the 1991-2020 average temperature and rainfall for the month of April.

## CHIEFLAND 5 ESE (records began in July 1956):

Wá	armest	. Ar	prils	Co	oolest	z Ar	prils	₩€	ettest	Apı	rils	Dri	.est <i>I</i>	Apri	ils
1	73.0	in	1991	1	63.4	in	1961	1	14.61	in	1982	1	0.00	in	1967
2	72.5	in	2002	2	64.8	in	2005	2	8.46	in	1997	2	0.30	in	1963
3	72.2	in	1999	3	64.9	in	2004	3	7.39	in	1995	3	0.31	in	1969
4	71.8	in	1970	4	65.0	in	1962	4	7.16	in	1985	4	0.42	in	2016
5	71.5	in	2020	5	65.3	in	1993	5	7.13	in	1991	5	0.79	in	1989
6	71.3	in	2017	6	65.5	in	2000	6	6.65	in	1957	6	0.80	in	2000
	71.3	in	2011	7	65.6	in	2007	7	6.48	in	1983	7	0.88	in	2001
8	71.2	in	1911	8	66.4	in	1966	8	6.22	in	2005		0.88	in	1998
	71.2	in	1965	9	66.6	in	1984	9	6.20	in	1961	9	0.91	in	1993
10	70.9	in	1994	10	66.9	in	1986	10	6.12	in	1979		0.91	in	1981
					66.9	in	1983								

Average Temperature for April 1-28,  $2022 = 70.5^{\circ}$ Normal Temperature for April at CHIF1 =  $68.4^{\circ}$ 

Total Rainfall for April 1-28, 2022 = 2.65 inches Normal Rainfall for April at CHIF1 = 2.97 in.

\_\_\_\_\_\_

## INVERNESS 3 SE (records began in July 1948):

Wa	rmest	. Ar	prils	C	oolest	t Ar	prils		Wet	test	Apı	rils		Dri	est A	Apri	lls
1	75.5	in	1954	1	64.8	in	1993		1	7.88	in	1953		1	0.00	in	1967
2	74.9	in	2015	2	66.1	in	2004		2	5.89	in	1991		2	0.06	in	2001
3	74.5	in	1968	3	66.2	in	2000		3	5.76	in	2011		3	0.07	in	1998
4	74.3	in	1967	4	66.3	in	2007		4	5.52	in	2021		4	0.20	in	1978
5	74.1	in	1965	5	66.4	in	1996		5	5.20	in	1997		5	0.26	in	1987
6	74.0	in	1970	6	66.8	in	2003		6	5.15	in	1959		6	0.31	in	1977
7	73.5	in	2002		66.8	in	1992		7	5.01	in	2018			0.31	in	1974
8	73.1	in	1969	8	67.1	in	1998		8	5.00	in	1982		8	0.65	in	1999
	73.1	in	1963	9	67.3	in	1988		9	4.89	in	1984		9	0.73	in	1968
10	73.0	in	2020	10	67.4	in	1950	1	0	4.62	in	1966	1	LO	0.76	in	1981

Average Temperature for April 2022 = Not Available Yet Normal Temperature for April at INVF1 =  $68.5^{\circ}$ 

Total Rainfall for April 2022 = Not Available Yet Normal Rainfall for April at INVF1 = 2.69 in.

\_\_\_\_\_

Contact: Paul Close, Paul.Close@noaa.gov

## BROOKSVILLE AREA (records began in January 1892):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 75.5 in 1947	1 64.3 in 2005	1 14.49 in 1928	1 Trace in 2017
75.5 in 1945	64.3 in 2004	2 8.05 in 1900	Trace in 1967
75.5 in 1929	3 64.8 in 1901	3 7.54 in 1935	3 0.04 in 2001
4 75.2 in 2015	4 65.3 in 2000	4 7.41 in 1949	4 0.10 in 1903
5 74.5 in 1927	5 66.8 in 2007	5 7.38 in 1991	5 0.16 in 1977
6 74.4 in 1994	6 67.1 in 1950	6 6.92 in 1953	6 0.20 in 1981
7 74.0 in 1909	7 67.3 in 1892	7 6.48 in 1937	7 0.21 in 1932
8 73.9 in 2020	8 67.5 in 1998	8 6.39 in 1918	8 0.25 in 2006
9 73.8 in 1981	9 67.6 in 1926	9 6.33 in 1982	9 0.26 in 1998
10 73.7 in 2002	10 67.7 in 1952	10 6.20 in 1926	10 0.32 in 1896
73.7 in 1964			
73.7 in 1912			

. . .

### 25 72.4 in 2022

72.4 in 1963

72.4 in 1958

72.4 in 1955

Normal Temperature for April at BKV = 69.2°

Total Rainfall for April 2022 = Rain missing on two days early in the month Normal Rainfall for April at BKV = 2.18 in.

\_\_\_\_\_

## ST. LEO (records began in April 1895):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 76.8 in 1908	1 66.4 in 1931	1 15.55 in 1953	1 Trace in 1967 2 0.06 in 1981 0.06 in 1922 4 0.09 in 2001 5 0.11 in 1903 6 0.12 in 1963 7 0.13 in 2017 8 0.20 in 1911
2 76.0 in 1954	2 66.7 in 1987	2 11.22 in 1928	
76.0 in 1947	66.7 in 1928	3 7.41 in 1937	
4 75.7 in 1945	4 67.7 in 1950	4 7.02 in 1997	
5 75.5 in 2015	67.7 in 1915	5 6.86 in 1991	
6 75.4 in 2002	67.7 in 1901	6 6.75 in 1949	
7 75.3 in 1994	7 68.0 in 1903	6.75 in 1941	
8 74.9 in 1991	8 68.4 in 1916	8 6.61 in 2018	
9 74.6 in 2006	9 68.6 in 1993	9 6.33 in 1895	9 0.21 in 1998
74.6 in 1999	10 68.7 in 1913	10 6.32 in 2020	10 0.23 in 1896
		 15 5 25 4m 2022	

15 5.35 in 2022

Average Temperature for April 2022 = Not Available, Several Days Missing Normal Temperature for April at STLF1 =  $71.4^{\circ}$  Normal Rainfall for April at STLF1 = 3.06 in.

\_\_\_\_\_\_

## TARPON SPRINGS (records began in January 1892):

Wá	armest	: Ap	prils	Cc	olest	z A <u>r</u>	prils	₩e	ttest	Apı	rils	D	riest A	∖pri	ils
	76.5				65.7				7.63				0.00		
2	76.4	in	1947	2	67.1	in	1915	2	7.20	in	1942	2	Trace	in	1896
3	76.0	in	1991	3	67.2	in	1962	3	6.97	in	1949	3	0.05	in	1922
4	75.3	in	1945	4	67.4	in	1950	4	6.66	in	1928	4	0.07	in	1981
5	75.1	in	1994		67.4	in	1940	5	6.31	in	1953		0.07	in	1972
6	75.0	in	2020	6	67.5	in	1903	6	6.01	in	1957	6	0.08	in	1923
7	74.9	in	1948	7	67.8	in	1916	7	6.00	in	2020	7	0.16	in	1998
8	74.8	in	1922	8	67.9	in	1971	8	5.97	in	1933	8	0.18	in	1903
	74.8	in	1912		67.9	in	1961	9	5.90	in	1959	9	0.20	in	2017
10	74.7	in	2002		67.9	in	1910	10	5.70	in	1941	10	0.23	in	1910
	74.7	in	1929												
								17	4.80	in	2022				
25	73.2	in	2022						4.80	in	1951				
	73.2	in	1999												

Normal Temperature for April at TRPF1 =  $72.2^{\circ}$  Normal Rainfall for April at TRPF1 = 2.69 in.

\_\_\_\_\_\_

## TAMPA AREA (records began in April 1890):

Warmest April	s Coolest Apr	rils We	ettest Ap	rils I	riest A	Aprils
1 78.0 in 201	5 1 66.3 in 1	1987 1	10.71 in	1997 1	Trace	in 1981
2 77.1 in 201	7 2 66.7 in 1	1901 2	8.04 in	1920	Trace	in 1967
3 76.9 in 202	2 3 67.2 in 1	1993 3	7.23 in	1931 3	0.02	in 2001
4 76.8 in 199	1 4 67.7 in 3	1950 <b>4</b>	6.76 in	<b>2022</b> 4	0.05	in 1969
5 76.6 in 194	7 5 68.1 in 1	1903 5	6.73 in	2020 5	0.16	in 1922
6 76.4 in 190	8 6 68.2 in 3	1899 6	6.59 in	1957	0.16	in 1898
7 76.3 in 201	1 7 68.6 in 1	1983 7	6.14 in	1933 7	0.21	in 1963
76.3 in 200	2 68.6 in 1	1961 8	5.75 in	1926 8	0.31	in 1892
9 76.0 in 194	5 68.6 in 1	1915 9	5.48 in	1959	0.35	in 1938
10 75.4 in 202	0 68.6 in 1	1891 10	5.38 in	1895 10	0.37	in 1946
75.4 in 201	3					

Normal Temperature for April at TPA =  $73.9^{\circ}$  Normal Rainfall for April at TRA = 2.55 in.

\_\_\_\_\_\_

Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

## ST. PETERSBURG (records began in August 1914):

Warm	est	Αŗ	orils	Co	polest	E Ag	prils		Wet	test	Арі	rils	D	riest A	∖pri	lls
1 78	.6	in	2015	1	68.5	in	1950		1	9.73	in	1997	1	0.00	in	1967
2 77	.0	in	2011	2	68.7	in	1987		2	9.09	in	1920	2	Trace	in	1981
77	.0	in	1947	3	68.9	in	1993		3	8.45	in	1951	3	0.01	in	1974
4 76	.9	in	2002	4	69.2	in	1952		4	7.69	in	1933	4	0.04	in	2001
5 76	. 6	in	1991	5	69.3	in	1983		5	7.39	in	1957	5	0.07	in	1987
6 76	.5	in	2020	6	70.1	in	1916		6	7.20	in	2003	6	0.11	in	1998
76	.5	in	2013	7	70.2	in	1915		7	6.16	in	1960	7	0.24	in	1932
8 76	.1	in	1929	8	70.4	in	1951		8	6.09	in	1948	8	0.25	in	1977
9 76	0.0	in	1981	9	70.6	in	1931		9	5.81	in	1931	9	0.27	in	2006
76	0.0	in	1954	10	70.8	in	1996	1	. 0	5.46	in	1941		0.27	in	1963
76	.0	in	1922		70.8	in	1961									
								2	0	4.15	in	2022	89	4.15	in	2022
29 74	.7	in	2022	77	74.7	in	2022									
74	. 7	in	2018		74.7	in	2018									

74.7 in 2018 74.7 in 2018

Normal Temperature for April at SPG = 74.1° Normal Rainfall for April at SPG = 1.93 in.

## PLANT CITY (Temperature records began in Sep 1892 and Rainfall records began in Jan 1893):

Warmes	t Aj	prils	Co	polest	E Ap	orils	Wet	ttest	Арі	rils		Dri	est A	Apri	ils
1 77.2	in	2020	1	65.0	in	1901	1	7.29	in	1931		1	0.00	in	2001
2 76.9	in	2015	2	65.5	in	1987	2	7.13	in	1957			0.00	in	1981
3 76.1	in	1947	3	65.9	in	1931	3	7.11	in	1933			0.00	in	1967
4 75.9	in	1912	4	67.4	in	1932	4	6.56	in	1928		4	0.16	in	1987
5 75.8	in	1911	5	67.6	in	1983	5	6.53	in	1941		5	0.20	in	1923
6 75.7	in	1945		67.6	in	1902	6	6.40	in	1937			0.20	in	1911
7 75.6	in	2011	7	67.7	in	2005	7	6.36	in	1947		7	0.26	in	1938
8 75.5	in	1991	8	67.9	in	1993	8	6.06	in	1997		8	0.27	in	1963
9 75.3	in	2017	9	68.0	in	1940	9	6.00	in	1951		9	0.31	in	1977
10 75.2	in	2019	10	68.2	in	1925	10	5.78	in	1959	1	L O	0.32	in	1898
11 74.8	in	1954													
12 74.7	in	2022					30	3.98	in	2022	9	93	3.98	in	2022
74.7	in	1970						3.98	in	1992			3.98	in	1992

Normal Temperature for April at PLCF1 = 73.5° Normal Rainfall for April at PLCF1 = 2.88 in.

Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

## LAKELAND AREA (records began in January 1915):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 77.2 in 2015	1 67.3 in 1950	1 8.48 in 1959	1 0.00 in 1967
2 76.6 in 2020	2 68.3 in 2005	2 8.36 in 1939	2 0.04 in 2001
3 76.5 in 1991	68.3 in 1952	3 8.35 in 1934	3 0.05 in 1963
4 76.3 in 1994	4 68.5 in 1987	4 8.15 in 1951	4 0.09 in 1981
5 76.2 in 1922	5 68.6 in 1961	5 7.71 in 1928	5 0.22 in 1977
6 76.1 in 2011	68.6 in 1951	6 6.84 in 1997	6 0.25 in 1922
7 75.8 in 1947	7 68.7 in 2007	7 6.77 in 1957	7 0.42 in 1972
8 75.6 in 1945	8 68.9 in 1973	8 6.66 in 1920	0.42 in 1969
9 75.4 in 1929	9 69.0 in 1983	9 5.82 in 1926	9 0.43 in 1932
10 75.2 in 2002	10 69.5 in 1931	10 5.60 in 1941	10 0.44 in 1945
	69.5 in 1915		
		26 3.65 in 2022	83 3.65 in 2022

Average Temperature for April 1-28,  $2022 = 74.8^{\circ}$ Normal Temperature for April at LLDF1 =  $73.2^{\circ}$ Normal Rainfall for April at LLDF1 = 2.82 in.

\_\_\_\_\_\_

## WINTER HAVEN AREA (records began in March 1941):

Wá	armest	z Ag	prils	С	oolest	. Ap	prils	7	Wet	test	Apı	rils		Dri	est A	∖pri	ls
1	78.6	in	2015	1	67.0	in	1987		1	7.36	in	1951		1	0.00	in	1981
2	77.8	in	1947	2	68.5	in	1983	,	2	7.29	in	1941			0.00	in	1967
3	77.5	in	1991		68.5	in	1973		3	6.51	in	2008		3	0.18	in	1963
4	77.1	in	1945	4	69.0	in	1961	4	4	6.34	in	1957	,	4	0.28	in	1946
5	76.6	in	2002	5	69.1	in	1971	I	5	5.55	in	1947		5	0.46	in	1952
6	76.3	in	2011	6	69.7	in	2005	(	6	5.30	in	1960		6	0.51	in	2017
7	76.0	in	2020		69.7	in	1962		7	5.11	in	1997		7	0.56	in	2001
8	75.8	in	1994	8	69.9	in	1993	8	8	5.01	in	1959		8	0.61	in	1978
9	75.7	in	1948	9	70.0	in	1951	(	9	4.42	in	2018		9	0.62	in	1968
10	75.1	in	2019	10	70.1	in	2004			4.42	in	1991	1	0	0.64	in	1986
11	75.0	in	2017					1:	1	4.37	in	2022					
	75.0	in	1989														
13	74.8	in	2022														
	74.8	in	2006														

Normal Temperature for April at GIF =  $73.8^{\circ}$  Normal Rainfall for April at GIF = 2.50 in.

\_\_\_\_\_\_

Contact: Paul Close, Paul.Close@noaa.gov

74.8 in 1970

## BARTOW (records began in June 1892):

Wai	rmest Aprils C		Cod	Coolest Aprils			Wet	test <i>I</i>	Apri	ils	D	Driest Aprils					
1	78.7	in	1908	1	65.9	in	1926	1	9.70	in	1920		1	0.00	in	1967	
2	77.2	in	1945	2	66.3	in	1901	2	8.40	in	1951		2	Trace	in	2000	
3	76.1	in	1991	3	66.9	in	1915	3	6.89	in	1941			Trace	in	1907	
4	76.0	in	1999	4	67.3	in	1928	4	6.69	in	1934		4	0.04	in	1922	
	76.0	in	1947	5	68.0	in	1913	5	6.43	in	1937		5	0.11	in	1981	
	76.0	in	1922	6	68.1	in	1987	6	6.14	in	1935		6	0.17	in	1938	
7	75.9	in	2014	7	68.4	in	1950	7	6.12	in	1954		7	0.20	in	1987	
8	75.7	in	1965		68.4	in	1931		6.12	in	1895		8	0.21	in	2006	
9	75.6	in	2002	9	68.8	in	1952	9	5.94	in	1933		9	0.28	in	2001	
10	75.6	in	1954	10	68.9	in	1937	10	5.87	in	1991	1	0	0.34	in	1919	
	•																
37	73.4	in	2022	77	73.4	in	2022	56	2.47	in	2022	7	3	2.47	in	2022	
	73.4	in	2003		73.4	in	2003										
	73.4	in	1989		73.4	in	1989										
	73.4	in	1935		73.4	in	1935										
	73.4	in	1909		73.4	in	1909										

Normal Temperature for April at BARF1 =  $72.5^{\circ}$  Normal Rainfall for April at BARF1 = 2.72 in.

-----

## SARASOTA-BRADENTON AREA (records began in January 1911):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 75.9 in 2015 75.9 in 1945	1 65.9 in 1987 2 67.0 in 1916	1 10.23 in 1957 2 9.82 in 1920	1 0.00 in 1967 2 Trace in 2017
3 75.2 in 2020	3 67.1 in 1915	3 8.78 in 1997	3 0.01 in 1923
4 75.1 in 1994	4 67.5 in 1931	4 7.36 in 2020	4 0.03 in 1981
5 75.0 in 2017	5 67.8 in 1986	5 7.22 in 1933	5 0.08 in 1963
6 74.9 in 1947	6 68.3 in 2005	6 7.09 in 1951	6 0.10 in 1998
7 74.6 in 2002	68.3 in 1950	7 5.55 in 1930	7 0.10 in 1922
8 74.5 in 2022	8 68.4 in 1993	8 5.11 in 1953	8 0.14 in 2006
74.5 in 1954	9 68.5 in 1971	9 4.87 in 1916	0.14 in 2001
10 74.4 in 2013	68.5 in 1940	10 4.85 in 1960	10 0.15 in 1938
		55 1.97 in 2022	58 1.97 in 2022

Normal Temperature for April at SRQ =  $72.6^{\circ}$  Normal Rainfall for April at SRQ = 2.46 in.

\_\_\_\_\_\_

Contact: Paul Close, <a href="Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

## **VENICE** (records began in May 1955):

Waı	rmest	z Ar	prils	С	oolest	. Ar	prils	M	le	ttest	Apı	cils	Ι	)ri	iest <i>P</i>	\pri	ils
1 -	76.9	in	2015	1	65.5	in	1987	1		13.85	in	1957	1	L	0.00	in	1967
2 -	76.2	in	2011	2	68.0	in	1986	2	)	7.86	in	1997	2	2	0.06	in	1975
3 -	76.1	in	1994	3	68.5	in	1993	3	3	6.10	in	1962	3	3	0.07	in	1987
4	75.9	in	2013	4	68.6	in	2005	4	Į	5.20	in	1993			0.07	in	1978
5 7	75.5	in	2002	5	68.8	in	1983	5	)	5.18	in	1984	5	5	0.09	in	1963
6 -	75.0	in	2020		68.8	in	1962	6	)	5.09	in	1991	6	5	0.15	in	2006
7 7	74.5	in	2017	7	69.0	in	1988	7	7	4.51	in	2013	7	7	0.16	in	2001
-	74.5	in	1999	8	69.3	in	1984			4.51	in	1982	8	}	0.17	in	1970
9 -	74.4	in	2012	9	69.4	in	2007	9	)	4.12	in	1966	9	9	0.18	in	1999
10 7	74.3	in	2019	10	69.6	in	1956	10	)	4.01	in	2004	10	)	0.24	in	1972
11 7	74.2	in	2010														
12	73.7	in	2022					42		1.27	in	2022	26	5	1.27	in	2022
-	73.7	in	1995														
-	73.7	in	1965														

Normal Temperature for April at  $VNCF1 = 72.5^{\circ}$ Normal Rainfall for April at VNCF1 = 2.47 in.

-----

## MYAKKA RIVER STATE PARK (Temperature records began in March 1956 and Rainfall records began in Sep 1943):

Warı	nest	Aŗ	orils	C	oolest	z Ar	prils	M	et:	test	Apı	rils	D	riest A	Apri	lls
1 7	7.0	in	2015	1	66.5	in	1987	1		8.93	in	1997	1	0.00	in	2001
2 7	6.0	in	1999	2	67.8	in	1962	2		7.85	in	1993	2	Trace	in	1981
3 7	5.7	in	1994	3	68.0	in	1961	3		7.10	in	1954	3	0.02	in	1987
4 7	4.8	in	1982	4	68.3	in	2005	4		7.02	in	1948	4	0.04	in	1946
5 7	4.7	in	2013	5	68.4	in	1986	5		6.82	in	1957	5	0.10	in	2006
7	4.7	in	2011	6	68.7	in	1973	6		6.54	in	2020	6	0.12	in	1970
7	4.7	in	1981	7	69.2	in	2004	7		6.22	in	1951	7	0.15	in	1978
8 7	4.4	in	2002	8	69.3	in	1971	8		5.58	in	1995	8	0.20	in	1998
7	4.4	in	1970	9	69.7	in	1983	9		5.17	in	2008	9	0.33	in	1971
10 7	4.2	in	1979	10	70.0	in	1963	10		5.05	in	1982	10	0.43	in	1950

Average Temperature for April 2022 = Not Available Yet Normal Temperature for April at MKCF1 =  $72.5^{\circ}$ 

Total Rainfall for April 2022 = Not Available Yet Normal Rainfall for April at MKCF1 = 2.98 in.

\_\_\_\_\_\_

Contact: Paul Close, Paul.Close@noaa.gov

WAUCHULA 2 N (records began in January 1933):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
1 77.2 in 1945	1 65.7 in 1950	1 8.26 in 1951	1 0.00 in 2001
2 76.3 in 1947	2 66.7 in 1993	2 7.75 in 1947	0.00 in 1978
3 75.4 in 2015	66.7 in 1987	3 6.94 in 1962	0.00 in 1967
4 74.8 in 1968	4 66.8 in 2004	4 6.60 in 1995	4 0.03 in 1963
5 74.7 in 1991	5 67.6 in 1983	5 6.55 in 1953	5 0.05 in 1971
6 74.5 in 1970	6 67.9 in 1952	6 6.44 in 1992	6 0.08 in 1981
7 74.4 in 1975	7 68.1 in 1951	7 6.36 in 1934	7 0.13 in 1970
8 74.2 in 1965	8 68.3 in 2000	8 6.16 in 2021	8 0.16 in 1987
9 74.1 in 2020	9 68.5 in 2007	9 5.95 in 1997	9 0.22 in 1945
74.1 in 1982	68.5 in 1997	10 5.44 in 1933	10 0.23 in 1975
74.1 in 1939			
		35 2.75 in 2022	51 2.75 in 2022
28 72.6 in 2022	55 72.6 in 2022	2.75 in 1983	2.75 in 1983
72.6 in 1936	72.6 in 1936		
72.6 in 1933	72.6 in 1933		

Normal Temperature for April at WAUF1 =  $71.0^{\circ}$  Normal Rainfall for April at WAUF1 = 2.92 in.

\_\_\_\_\_\_

## ARCHBOLD BIO STN (records began in January 1969):

Wá	armest	z Ar	prils	Co	oolest	z Ar	orils	Ţ	Wet	test	Apı	rils		Dri	est A	Apri	lls
1	76.6	in	2015	1	63.0	in	1987		1	9.53	in	2021		1	0.03	in	2006
2	75.0	in	2020	2	66.4	in	1986		2	5.90	in	1972		2	0.08	in	1971
3	74.8	in	1991	3	66.7	in	2004		3	5.65	in	2015		3	0.16	in	1981
4	74.4	in	2011	4	66.9	in	1993		4	5.47	in	1997		4	0.19	in	1970
5	74.1	in	1994	5	67.4	in	2005		5	5.37	in	2013		5	0.21	in	1986
6	73.7	in	1982		67.4	in	1983		6	4.91	in	1992		6	0.42	in	2016
7	73.5	in	1975	7	67.7	in	2000		7	4.90	in	1973		7	0.43	in	1978
8	73.4	in	2013	8	68.6	in	1971	:	8	4.15	in	1982		8	0.52	in	1987
9	73.1	in	2017	9	68.7	in	1992		9	4.10	in	2004		9	0.59	in	2009
10	73.0	in	2002	10	68.8	in	2007	1	0	3.90	in	1970	1	. 0	0.69	in	1977
	73.0	in	1981		68.8	in	1984										

Average Temperature for April 1-26,  $2022 = 72.5^{\circ}$  Normal Temperature for April at ACHF1 =  $71.7^{\circ}$ 

Total Rainfall for April 1-26, 2022 = 1.55 inches Normal Rainfall for April at ACHF1 = 2.54 in.

\_\_\_\_\_

Contact: Paul Close, <a href="mailto:Paul.Close@noaa.gov">Paul.Close@noaa.gov</a>

### PUNTA GORDA AREA (records began in May 1914):

Warmest	. Ar	prils	Co	oolest	z Ar	prils	Wet	test	Apı	cils	D	riest A	Apri	lls
1 78.7	in	1945	1	67.9	in	1987	1	8.70	in	1920	1	0.00	in	1981
2 78.2	in	1947	2	68.7	in	1915	2	7.93	in	1957		0.00	in	1963
3 76.9	in	1944	3	69.1	in	2004	3	7.08	in	1931		0.00	in	1946
4 76.6	in	2015		69.1	in	1916	4	5.80	in	1994	4	Trace	in	1975
76.6	in	1994	5	69.2	in	2005	5	5.52	in	1941		Trace	in	1967
6 76.1	in	1954	6	69.7	in	1971	6	5.36	in	1947	6	0.03	in	1922
7 76.0	in	1991	7	70.0	in	1993	7	5.20	in	1933	7	0.05	in	2006
76.0	in	1946		70.0	in	1986	8	5.15	in	1997	8	0.09	in	1970
9 75.9	in	1948	9	70.1	in	2000	9	5.08	in	1965	9	0.10	in	2001
10 75.8	in	2013	10	70.2	in	1950		5.08	in	1948	10	0.11	in	1987
• • •												•		
23 74.4	in	2022					64	1.19	in	2022	41	1.19	in	2022

Normal Temperature for April at PGD =  $73.1^{\circ}$ Normal Rainfall for April at PGD = 2.23 in.

\_\_\_\_\_\_

#### FORT MYERS AREA (records began in January 1902):

Warmest Aprils	Coolest Aprils	Wettest Aprils	Driest Aprils
Warmest Aprils  1 79.2 in 2020 2 78.8 in 2015 3 77.7 in 2011 77.7 in 1991 77.7 in 1947 6 77.5 in 2022 7 77.4 in 1994 8 77.3 in 1908 9 76.9 in 2018 76.9 in 2013	Coolest Aprils  1 68.5 in 1950 2 68.8 in 1987 3 69.3 in 1915 4 69.6 in 1903 5 70.1 in 1983 70.1 in 1910 7 70.2 in 1952 8 70.4 in 1971 9 70.6 in 1931 10 70.8 in 2005	Wettest Aprils  1 8.42 in 1939 2 7.66 in 1941 3 6.06 in 1933 4 5.89 in 1930 5 5.83 in 2022 6 5.68 in 1994 7 5.61 in 1916 8 5.50 in 1949 9 5.34 in 1995 10 5.01 in 1991	Driest Aprils  1 Trace in 1970     Trace in 1967     Trace in 1903 4    0.01 in 2006         0.01 in 1946 6    0.02 in 1922 7    0.08 in 1981         0.08 in 1950 9    0.11 in 1974 10    0.14 in 1987
76.9 in 2002 76.9 in 1945	70.8 in 1993 70.8 in 1961 70.8 in 1907 70.8 in 1902		

Normal Temperature for April at FMY =  $74.8^{\circ}$  Normal Rainfall for April at FMY = 2.44 in.

-----

For more Climate information visit our web site at the following link: <a href="https://www.weather.gov/tampabay">https://www.weather.gov/tampabay</a> and then go to the Climate and Past Weather drop down menu above the graphical forecast images.

Contact: Paul Close, Paul.Close@noaa.gov Date: 05/02/2022